

RECOATED. DURABLE. SUSTAINABLE.

PERI Pave ReLife



The idea

PERI Pave ReLife extends the life cycle of worn off production boards and thus gives the product a second life.

The PERI Pave production board has stood for quality, expertise and innovation for decades. PERI has set itself the task of combining sustainability and cost-effectiveness. By professionally recoating the surface, the production boards are given an additional service life: resource-saving, cost-effective and consistently high level of quality.



The repair process at a glance

Milling off the coating

In a first step, the existing coating is milled off precisely. This removes traces of wear and thus creates an optimum base for further processing.

Grinding and preparation

The panel is thoroughly sanded, and deeper dents are levelled out to create a smooth and even surface. This preparation is essential for perfect adhesion of the new coating.

New coating

After preparation, the panel is recoated on both sides with a highly resistant plastic coating. This gives the board optimum protection and usage properties again.

Edge preparation and sealing

The edges of the underlay board are also carefully prepared and resealed. This restores the moisture regulation of the board.







Your advantages

- Extension of the service life
- Significant cost savings compared to a new purchase
- Continuation of the production process at a proven quality level
- Contribution to the reduction of waste and resource utilisation
- Easy integration into ongoing production thanks to efficiently rotating logistics







PERI Pave – recoated 4 years ago and now in use for more than 16 years.



PERI Pave ReLife in use at the Müller-Steinag Group in Rickenbach, Switzerland.

Extended service life – rethinking sustainability

By remanufacturing, you not only save costs for new purchases, but also actively contribute to sustainability by utilising existing resources efficiently.

More information you can find here.



www.peri.com/pave

